


ACCILECTION



ASIA'S NO.1 PAINT BRAND



Hydro Wood



Hydro Wood is an environmentally green product formulated with low VOC for interior wood surface. It provides colour to wood surfaces and highlighting the natural wood grains.

Odourlite



Odourlite Soft Matt Finish is a low odour oil modified alkyd based enamel paint for all wood and metal surfaces. It has a luxurious soft matt finishing.



Bali Yellow T119

Pearl White 1301

Fibercote

Gray Block N 2011T



Fibercote is an acrylic water-based paint with non-added lead and mercury. It is specially formulated for fiber cement surface giving it a natural wood look.






Micaceous Iron Oxide (MIO)



Stunning metallic matte shades for metal surfaces with good protection. It transforms dullness to liveliness almost instantly.









9000 SHOSS HON-ADDED LEAD CHROME

9000 GLOSS FINISH

A touch of brilliant gloss finish to all wood and metal surfaces.


- Prevent wood from rotting
- Prevent metal from rusting
- Excellent gloss retention
- Long lasting colour











All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit, Please refer to the actual colour chips in this card to choose your colours.

9000 Aluminium Wood Primer

Zinc Chromate Primer/ Zinc Phosphate Primer Red Oxide Primer/

Aquatec Red Oxide Primer

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit, Please refer to the actual colour chips in this card to choose your colour.

Soft Matt (Water-based)

Gloss (Solvent-based)

Soft Matt (Solvent-based)

9000 Undercoat/Economy Undercoat/

Gloss (Water-based)

TIMBERSHADE

Water-based paint for wood and galvanised surface.

- Environmental-friendly
- Easy to apply



Folkstone N 2028P Newtowne Brown N 1890A













Pigmented Varnish


Translucent pigmented varnish provides colour to wood surfaces, highlighting the natural wood grain.
















T145

Raw Timer

T155

Violet Vest

T165

Blue Green

T144

Product Selector Chart:

	WOOD AND METAL						WOOD ONLY			
			SOLVENT-BASED)		♦ WATI	ER-BASED	SOLVE	ENT-BASED	
TOP COAT	MIPPON PAINT Odourlite	Odourlite	9000	Q-Lac	Platone	Timbershade	Hydro Finish	1 Pack PU	Timber Finish	Hydro Wood
	Gloss Finish	Soft Matt Finish	Gloss Finish	Gloss Finish	High Gloss			Timbercoat		
Tintable Via					Colour C	creations°				
Exterior / Interior	EXT (NT	INT	EXT (INT	EXT (NT	EXT INT	EXT INT	(M)	EXT (INT	EXT INT	INT
	FINISH	IING								
Finishing	Gloss	Soft Matt	Gloss	Gloss	Gloss	Soft Matt	Gloss / Soft Matt	Gloss	Gloss	Satin
GREEN CHOICE	ENVIR	ONMEN	TALLY	FRIEN	DLY					
Green Choice						6	99			66
Low Odour	6	B				6	66			66
Non Added Lead & Chrome	В	0	Ø	6	ь	ь	В	Ø	В	В
	FUNC 1	TIONAL	BENE	FITS						
Product Highlights	Low odour with excellent gloss finish	Low odour with luxurious soft matt finish	Durable with excellent gloss finish	Easy to apply with excellent gloss finish	Easy to apply with excellent gloss finish	Specially formulated for fiber cement board, wooden & galvanised iron	Environmental- friendly green paint for wood and metal	Specially designed for floor with high durability	Decorative pigmented varnish that highlights natural wood grains	Water-based varnish with excellent scratch resistance
Scratch Resistance	•			•	•		•	00		00
Transparency / Clarity										
Yellowing Resistant						00	000	•	•	000
Chemical Resistant*					•	•	•			•
UV Resistant	•		•	•	•	•		•	•	
Good Flexiblity					•	•	•			•
Prevent Wood from Rotting	•	•	•	•	•	•	•	•	•	•
Water Resistant	•	•	•	•	•	•	•	•	•	•
	APPLI	CATION	DATA							
Theoretical Coverage per litre (m²)	9-11m²	9-11m²	9-11m²	9-11m²	9-11m²	10-12m²	9-11m²	10-12m²	10-12m²	7-11m²
Recommended Number of Coats	2	2	2	2	2	2	2-3	2-3	2-3	2-3

Recommended Primer:									
	WOOD AND METAL	METAL	HIGH PERFORMANCE METAL						
SOLVENT-BASED	9000 Aluminium Wood Primer 9000 Undercoat	Red Oxide Primer	Zinc Chromate Primer Etching Primer 120						
♦ WATER-BASED	Economy Undercoat Undercoat Hydro-Primer	Aquatec Red Oxide Primer	(Aluminium, Galvanized Iron, Galvanized Steel)						











NIPPON PAINT (M) SDN. BHD. (7516-H)

^{*} Includes water, grease, alcohol, coffee, heat test at 85 degree celsius & acetone. For more product information, refer to Technical Data Sheet on our website or contact customer careline.